# WARWICK TOWN COUNCIL



Jayne Topham Town Clerk Court House Jury Street WARWICK CV34 4EW

Tel: 01926 411694

#### **ALLOTMENT COMMITTEE MEETING**

### MINUTES OF THE MEETING - MONDAY 19th NOVEMBER 2018

## **Present: Committee Membership:**

Councillor M Ashford

Councillor Mrs Lyn Bolton Councillor J P Bromley
Councillor Mrs C Cross (Chair) Councillor T Morris

### **Co-opted Members:**

David Overton, J Hinks (Percy Estate), Mr A Will (Canalside), Mr P Atkinson (Cape Housing), John Owen RHS, Liz Healey.

#### 211. Apologies.

Apologies were given from The Mayor, Reps Steve Poynter and Cliff Wiggins. It was resolved to accept their apologies.

### 212. Declarations or Personal and Prejudicial Interests

None

### 213. Minutes of the meeting held on 10th September & 8th October 2018.

It was resolved to approve the minutes as a true record.

### 214. Update from the Allotment Administration Team

A plot holder is moving out of area – confirmed that a letter needed to be sent to state that we would not renew agreement next year as they are out of area.

Updated rules and regs with right to appeal – we will advise plot holders in their renewal letters agreed no need to reissue.

Rep Nominees – James Hogg, plot 20 Railwayside has put his name forward.

No issues with plots

6b Cape Road has now resigned

Bonfires – a request had been received to be able to have monthly bonfires. The rules will apply unless there are specific circumstances i.e. blight – these will have to be approved by the office.

- **215.** Rules and Regulations appeal notice. Advised committee of addition.
- **216.** Tenancies & Lettings no comments
- 217. Maintenance Alan requested a site visit regarding the trees on Canalside

   this is being organised with the Forestry Team, Cllr JP Bromley requested that this be reviewed looking at Soil Structure improvement, Cllr T Morris requested that any trees removed are replaced appropriately.
- **218. 100 Greville Road Watermain** a quote was received from Allworks David Overton advised that the quote should be for 13 stand pipes not 7. A revised quote was requested and a third quote will be gained.

Annual Meeting was held in the Ballroom following th	ne conclusion	of the meeting
--	---------------	----------------

Signed	Date